Pulaski County Commission

Invitation for Sealed Bids (IFB)

County Bid Number: 2026-3

Summary: Sealed Bids will be received in the Commissioner's Office at the Pulaski County Courthouse Annex Building, located at 45 S Lumpkin Street, Hawkinsville, GA 31036, until **10:00 AM on Friday, December 4, 2026,** for the following project:

One (1) New 4,000-Gallon Mobile Water Supply Fire Apparatus / Tanker

Federal Program	FEMA Assistance to Firefighters Grant (AFG), FY 2025
FEMA Award No.	EMW-2025-FG-03485
Issue Date	November 3, 2026
Questions Due	5:00 PM, November 23, 2026
Bid Due / Opening	10:00 AM, December 4, 2026 45 S Lumpkin St, Hawkinsville, GA 31036
County Contact	**Address Bids to:** Jenna Mashburn, Sole Commissioner 45 S Lumpkin St, Hawkinsville, GA 31036 jmashburn@pulaskico.com, (478) 783-4154 **Direct Inquiries to:** Aidan Leahy, Middle Georgia Regional Commission 3661 Eisenhower Pkwy, Ste MB102 aleahy@mg-rc.org, (478) 722-6160

Bid documents are available electronically by email. To receive a copy of the bid package, please email Aidan Leahy at the Middle Georgia Regional Commission at aleahy@mg-rc.org. Pulaski County, Georgia reserves the right to accept or reject any or all bids and to waive immaterial irregularities when lawful. This procurement is intended to be funded in whole or in part with a Federal Emergency Management Agency (FEMA) Assistance to Firefighters Grant (AFG) award, and the recipient of this bid award will be expected to comply with any and all federal grant requirements listed within the bid documents.

1. Invitation and Procurement Method

Pulaski County, Georgia (the "County") invites sealed bids from qualified and responsible fire apparatus manufacturers, dealers, or authorized suppliers for one (1) new, unused, current-model-year or newer 4,000-gallon mobile water supply fire apparatus/tanker. The procurement is intended to be funded in whole or in part with a Federal Emergency Management Agency (FEMA) Assistance to Firefighters Grant (AFG) award.

The County intends to use a formal sealed-bid procurement under 2 C.F.R. § 200.320 when the conditions for sealed bidding are satisfied: complete and realistic specifications are available; two or more responsible bidders are willing and able to compete; the procurement lends itself to a firm fixed-price contract; and award can be made principally on price to the lowest responsive and responsible bidder. If those conditions are not present, the County may cancel this IFB and use another procurement method permitted by law.

Nothing in this solicitation obligates the County to award a contract. The County may reject any or all bids, waive immaterial irregularities when lawful, or cancel the solicitation when it is in the County's best interest and consistent with applicable procurement requirements.

2. Federal Procurement Standards

This procurement shall be conducted in accordance with the County's documented procurement procedures, applicable Georgia and local law, and the federal procurement standards applicable to local governments under 2 C.F.R. §§ 200.318-200.327. Where a requirement conflicts, the County shall apply the requirement that is legally controlling and, when requirements differ, the more restrictive applicable requirement unless prohibited by law.

- Maintain procurement oversight, written standards of conduct, and records sufficient to document the history of the procurement, including rationale for the method, contractor selection/rejection, and basis for price.
- Provide full and open competition and avoid unreasonable or unnecessary restrictive requirements.
- Avoid organizational conflicts of interest and prohibit employees, officers, agents, or board members with real or apparent conflicts from participating in selection, award, or administration.
- Perform and document an independent cost or price estimate/analysis as required for a procurement of this size before receipt of bids or proposals and for applicable contract modifications.
- Take the affirmative consideration steps for small businesses, minority businesses, women's business enterprises, veteran-owned businesses, and labor-surplus-area firms required by 2 C.F.R. § 200.321 when possible.
- Apply the domestic preference requirements of 2 C.F.R. § 200.322 to the greatest extent practicable and consistent with law.
- Comply with recovered-material requirements of 2 C.F.R. § 200.323 when applicable.
- Include all applicable contract provisions required by 2 C.F.R. § 200.327 and Appendix II to 2 C.F.R. Part 200.

3. Competition; Brand Names; Approved Equals

The technical requirements in **Appendix A** were developed from the operational configuration desired by the Pulaski County Fire Department. Certain manufacturer and model names appeared in the planning quotation/specification used to develop the grant budget. To preserve full and open competition, those names

are not exclusive requirements. Any brand, manufacturer, or model identified in this IFB is followed by the words "or approved equal" whether or not those words are repeated.

A bidder proposing an equal product shall identify the proposed manufacturer/model and provide sufficient technical literature for the County to determine equivalency. The County will evaluate function, capacity, safety, durability, serviceability, interoperability, warranty, performance, and compliance with NFPA 1900 and other stated standards. Minor dimensional or design differences may be accepted if the County determines that the proposed item meets or exceeds the functional requirement and does not materially alter the approved grant scope.

Requirements copied from a vendor specification that would unnecessarily restrict competition, such as requiring a particular chassis brand, pump brand, valve brand, lighting brand, a particular proprietary construction method, a specified number of years in business, or domestic ownership of the manufacturer, are not incorporated as exclusive requirements.

4. Bid Submission Requirements

The following documentation must be submitted at a minimum to be deemed responsive to this IFB request.

- Signed Bid Form (**Appendix B**) with a single firm fixed total price.
- Completed Technical Compliance Matrix (**Appendix A**), identifying COMPLY / EXCEPTION / APPROVED EQUAL for each line item.
- Detailed apparatus proposal/specification showing all equipment included in the bid.
- Manufacturer and dealer identity, manufacturing location, and authorized service/warranty locations.
- Delivery schedule stated as calendar days after Notice to Proceed or contract execution.
- Warranty schedule.
- Certificate of insurance meeting County requirements stated in the final solicitation.
- SAM.gov Unique Entity Identifier (UEI) and certification that bidder is not suspended or debarred.
- Completed federal certifications in **Appendix C**, including lobbying certification when applicable.
- List and explanation of every exception or deviation. Silence will be treated as compliance.
- Evidence of ability to provide required NFPA testing/certification and final acceptance documentation.

5. Bid Opening and Award

Bids shall remain sealed until the stated public opening, scheduled for **10:00 AM on Friday, December 4, 2026**. Award is intended to be made to the lowest responsive and responsible bidder whose bid conforms in all material respects to the solicitation and whose apparatus is determined to meet the County's minimum requirements. The County will not use undisclosed evaluation criteria.

"Responsibility", as defined in the previous paragraph, may include financial and technical capacity, integrity, past performance, production capability, service/warranty support, ability to meet the required delivery schedule, and eligibility to receive a federally funded contract.

6. Price and Cost Controls

The bid shall be a firm fixed price for a complete, operational, tested, and compliant apparatus and all specified loose equipment. The County will prepare and retain an independent estimate and price analysis before award. Any post-award change must be documented, within the FEMA-approved scope and budget, and supported by a price/cost analysis when required. Cost-plus-a-percentage-of-cost and percentage-of-construction-cost methods are prohibited.

The June 4, 2026, quotation used to develop the desired configuration totaled $599,398.00. **This amount is a planning estimate only** – it is not a guaranteed contract price, bid ceiling, or preferred-vendor price. Bidders must independently price the competitive solicitation.

7. Delivery, Inspection, Acceptance and Payment

Bidder shall state a guaranteed delivery date or maximum calendar-day delivery period.

- The County may conduct pre-construction, mid-point, and final inspections if included in the final contract and allowable under the FEMA award.
- Final acceptance occurs only after delivery/pickup, inspection, successful testing, receipt of required certifications/manuals, correction of material deficiencies, and written acceptance by the County.
- Unless the final FEMA award terms expressly permit otherwise, the County will not make payments inconsistent with FEMA vehicle-payment rules.
- The desired commercial terms are 100% payment at final delivery/acceptance. Any proposed down payment or progress-payment requirement must be clearly identified and is subject to FEMA award limitations and County approval.
- Fuel and DEF tanks, if applicable, shall be full at delivery.

8. AFG Vehicle Performance / Late Delivery Clause

The awarded contract shall include a late-delivery/nonperformance penalty of not less than $100 per calendar day. Unless FEMA approves an exception in writing, if the contractor fails to deliver a contract-compliant vehicle by the contractual delivery date, or otherwise fails to perform as required, the contractor shall be assessed liquidated damages/penalty of $100 per calendar day (or a higher amount stated in the final contract) until the vehicle, compliant with the contract, is delivered and accepted by the County. The County may also exercise other remedies provided by the contract and law.

9. Contract Administration and Records

The County and its grant administrator will maintain oversight to ensure performance in accordance with the contract.

- The contractor shall maintain records necessary to substantiate compliance, invoicing, warranties, testing, and federal contract clauses and shall provide access as required by law and the federal award.
- No material substitution, scope change, price change, or delivery-date change is effective without a written contract modification signed by an authorized County official.

- The contractor may not assign the contract without written County approval.
- The contractor shall flow down applicable federal provisions to covered subcontracts.

10. Federal Contract Provisions

The following provisions shall be incorporated into the resulting contract to the extent applicable. The County should compare this section against FEMA's then-current Contract Provisions Guide and the actual FY2025 AFG award terms immediately before advertisement and contract execution.

10.1 Remedies for Breach

Because the anticipated contract exceeds the federal Simplified Acquisition Threshold, the contract shall state administrative, contractual, and legal remedies for contractor breach and appropriate sanctions/penalties. Remedies may include rejection, correction, withholding payment, damages, cover, termination, and other rights available under Georgia law and the contract.

10.2 Termination for Cause and Convenience

The County may terminate the contract, in whole or in part, for contractor default/cause or for the County's convenience. The final contract shall state notice procedures, cure rights where appropriate, settlement basis, payment for accepted conforming work, and disposition of County property and work in process.

10.3 Clean Air Act and Federal Water Pollution Control Act

For a contract exceeding $150,000, contractor shall comply with applicable standards, orders, and regulations issued under the Clean Air Act and Federal Water Pollution Control Act, and shall report violations to FEMA and the appropriate EPA Regional Office as required.

10.4 Debarment and Suspension

The contractor must not be suspended, debarred, or otherwise excluded from participation in federal covered transactions. The County will verify eligibility in SAM.gov before award. Contractor shall notify the County immediately of any change in eligibility.

10.5 Byrd Anti-Lobbying Amendment

For an award exceeding $100,000, the bidder/contractor shall execute the required certification regarding use of appropriated funds for lobbying and shall file required disclosures for lobbying with non-federal funds. Applicable requirements shall be flowed down to covered subcontracts.

10.6 Procurement of Recovered Materials

Contractor shall comply with applicable Section 6002/RCRA recovered-material requirements and, to the greatest extent practicable and consistent with law, use reusable, refurbished, recycled-content, biobased, energy- and water-efficient, and sustainable products where applicable without impairing apparatus safety, NFPA compliance, warranty, or competition.

10.7 Prohibition on Certain Telecommunications and Video Surveillance

Contractor shall not provide covered telecommunications equipment or services prohibited by 2 C.F.R. § 200.216 as a substantial or essential component of any system or as critical technology, and shall flow down the requirement where applicable.

10.8 Domestic Preferences

To the greatest extent practicable and consistent with law, contractor shall provide a preference for goods, products, and materials produced in the United States and shall include this requirement in applicable subcontracts and purchase orders. Any separate Build America, Buy America requirement applies only if made applicable by the FEMA award or law.

10.9 Access to Records

Contractor shall provide the County, FEMA, DHS, the Comptroller General of the United States, and their authorized representatives access to records directly pertinent to this contract as required by the federal award and applicable law.

10.10 DHS/FEMA Changes

Contractor shall comply with applicable FEMA/DHS requirements and written changes to federal grant requirements that are legally applicable to this contract, provided any change affecting price, scope, or schedule is handled by written contract modification.

10.11 No Obligation by the Federal Government

The Federal Government is not a party to this contract and is not subject to liability to the contractor or any other party for any matter arising from the contract.

10.12 Program Fraud and False or Fraudulent Statements

Contractor acknowledges that federal laws concerning false statements, false claims, fraud, and misuse of federal funds may apply to representations, invoices, certifications, and records submitted in connection with this federally funded procurement.

11. Conflicts of Interest

No County employee, officer, agent, elected official, or other person participating in this procurement may solicit or accept gratuities, favors, or anything of monetary value from contractors or parties to subcontracts except as permitted by the County's written standards of conduct. Bidders shall disclose actual or potential organizational conflicts of interest and any relationship that could impair objectivity or create an unfair competitive advantage.

12. Questions, Addenda and Prohibited Communications

All questions shall be submitted in writing to Aidan Leahy, Middle Georgia Regional Commission, at aleahy@mg-rc.org by 5:00 PM Eastern Time on November 23, 2026. Only written addenda issued by the County may modify this solicitation. Bidders shall not rely on oral interpretations. After issuance, bidders

should avoid procurement-related communications with County officials or Fire Department personnel except through the designated procurement contact.

APPENDIX A - MINIMUM TECHNICAL REQUIREMENTS AND COMPLIANCE MATRIX

The following requirements reflect the operational configuration supplied by the Pulaski County Fire Department for competitive procurement. Specific brand/model names shown in parentheses are reference standards only and mean "or approved equal." Bidder shall mark each item COMPLY, EXCEPTION, or EQUAL and identify any deviation.

No.	Category	Minimum Requirement	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	Exception / Proposed Equal
1	General / Standards	One new and unused mobile water-supply fire apparatus/tanker; current production model; complete and ready for emergency service.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
2	General / Standards	NFPA 1900 compliant mobile water supply fire apparatus, latest edition applicable at contract date; comply with applicable federal, Georgia, DOT/ICC commercial vehicle requirements.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
3	General / Standards	Electronic Stability Control/rollover stability system; road test certification; maximum governed fire-service speed not more than 60 mph where required by NFPA for tank capacity/GVWR.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
4	Chassis	Commercial 2-door tandem-axle heavy-duty chassis suitable for a 4,000-gallon tanker. Planning reference: Kenworth T-880 or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
5	Chassis	Chassis, axles, suspension, wheels/tires, brakes, engine, transmission and frame shall be rated for the completed apparatus at full water/equipment load with appropriate reserve capacity.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
6	Chassis	Two air horns with driver control; front bumper; rear tow eyes/plates; mud flaps; tire-pressure monitoring; vehicle data recorder and seat-belt warning system.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
7	Chassis	Master battery disconnect; 60-amp class battery conditioner or equal; 120V 20A automatic eject shoreline with mating plug/status indicator; auxiliary 12V air compressor; 97 dB class backup alarm.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
8	Pump	Midship, single-stage centrifugal fire pump rated minimum 1,500 GPM. Planning reference: Hale QMAX or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
9	Pump	Pump shall meet NFPA 1900 performance requirements, including 1,500 GPM @ 150 psi, 1,050 GPM @ 200 psi, and 750 GPM @ 250 psi, with written pump certification.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
10	Pump	Minimum pump warranty: 5 years, with at least 2 years parts/labor and years 3-5 parts or an equal/better warranty.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
11	Pump	Mechanical pump seal; air-operated or equivalent reliable pump shift; transmission lock-up; appropriate driveline modifications.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
12	Pump/Intakes	Two 6-inch NST master intakes, one each side, with caps/screens; one 2.5-inch gated auxiliary suction on left pump panel.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	

13	Pump/Controls	NFPA-compliant plumbing; corrosion-resistant/stainless or approved equivalent waterway materials; full-flow valves; individual drains; discharge gauges; master intake and discharge gauges.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
14	Pump/Controls	Automatic air-operated or equivalent priming system; intake relief valve; UL test points; master drain; pump cooler/bypass; sacrificial anodes; thermal relief; electronic pressure governor.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
15	Pump/Discharges	Four 2.5-inch discharges: left front, left rear, right front, right rear, with valves, drains, gauges, adapters/elbows/caps as appropriate.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
16	Crosslays	Two 1.75-inch preconnected crosslay discharges above pump module, each with capacity for approximately 200 feet of 1.75-inch double-jacket hose; divider and weather-resistant cover.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
17	Monitor	3-inch monitor discharge above pump enclosure with slow-close valve and removable/high-rise monitor. Planning reference: Akron Apollo Hi-Riser 3433, stacked tips and stream shaper, or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
18	Booster Reel	Electric booster hose reel at rear body/between frame rails; approximately 150 feet of 1-inch booster hose; 1.5-inch plumbing/discharge; weatherproof rewind control.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
19	Water Tank	Nominal 4,000 U.S. gallon polypropylene/poly tank, independently mounted and baffled/partitioned to NFPA 1900 requirements; capacity certification required.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
20	Water Tank	Anti-surge fill tower; minimum 6-inch overflow arranged to avoid rear-tire traction interference; sump; cleanout; appropriate tank-mounting system; rear-camera clearance.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
21	Hosebed	Double-wall hosebed with minimum approximately 90 cubic feet storage, grooved/ventilated floor, adjustable divider track, scuff plate, and red or County-approved weather-resistant cover.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
22	Dump Valve	One rear 10-inch stainless-steel manual dump valve with swivel discharge, or approved equal providing comparable rapid water-dump performance.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
23	Direct Tank Fill	Rear left and rear right direct tank-fill connections, each nominal 2.5-inch NST with appropriate valves/plugs; plumbing may use reducer/configuration needed for full flow.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
24	Body	Tandem-axle aluminum treadplate/wetside tanker body, approximately 225-inch class, designed for a 4,000-gallon tank and four lower equipment compartments.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
25	Compartments	Four lower compartments: two left and two right, with roll-up doors, LED compartment lighting, and door-activated switches; the approximate layout includes 70-inch forward and 24-inch rear compartments on each side.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
26	Equipment Storage	Dedicated storage for one 4,000-gallon folding tank on right side above compartments and two 10-foot hard-suction hose sections on left side above compartments.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	

27	SCBA Storage	Four wheel-well single SCBA cylinder storage tubes with corrosion-resistant doors or approved equivalent.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
28	Access/Safety	Rear two-step tailboard approximately 96 inches wide; folding rear/access steps and exterior grab rails arranged for NFPA-compliant access.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
29	Electrical	12V apparatus electrical system with NFPA 1900 certified electrical system testing.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
30	Lighting	LED ground lighting at chassis, forward of rear wheels, and rear step; LED DOT stop/tail/turn/reverse, marker, license, and hosebed lighting.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
31	Scene Lighting	LED scene lights: two upper front side-facing, two upper rear side-facing, and two upper rear-facing, with separate controls; rear scene lights to activate with reverse where feasible.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
32	Camera	Rear-view/backup camera with approximately 7-inch color monitor mounted in cab or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
33	Warning Lights	NFPA-compliant LED warning-light package with 56-inch class lightbar (red/white configuration or County-approved equivalent), upper and lower warning zones, intersection coverage, and master warning controls.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
34	Audible Warning	Electronic 100/200-watt class siren and speaker plus mechanical Q-style siren or approved equal; driver/officer controls and required noise warning labels.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
35	Pump Module	Side-mount pump enclosure; brushed stainless-steel or equivalent durable pump panels; LED pump-panel and pump-compartment lighting; running-board hosewells with drainage/retention.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
36	Pump Labels	NFPA/FAMA-type safety labels, pump identification plate, and color-coded intake/discharge controls/nameplates.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
37	Paint/Finish	Apparatus finish to match County-selected chassis/body color; durable commercial fire-apparatus paint system. Planning reference: PPG Delfleet Evolution or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
38	Striping	Reflective Department lettering and striping; NFPA-compliant rear chevron covering required rear-facing area, red and fluorescent yellow-green or County-approved compliant colors.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
39	Loose Equipment	One 4,000-gallon aluminum-frame folding portable tank with heavy-duty red vinyl liner or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
40	Loose Equipment	Two 6-inch x 10-foot hard suction hose sections with suitable NST couplings, lightweight PVC or approved equal.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
41	Loose Equipment	One DOT-compliant fire extinguisher and emergency warning triangle kit.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
42	Warranty	Minimum complete apparatus warranty: 1 year.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	

43	Warranty	Minimum structural warranty: 10 years.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
44	Warranty	Minimum stainless-steel plumbing/piping warranty: 10 years or equal/better.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
45	Warranty	Minimum paint warranty: 5 years prorated or equal/better.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
46	Warranty	Water tank: lifetime warranty or equal/better.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
47	Warranty	Electrical system: minimum 2 years.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
48	Documentation	Provide final build specifications, wiring/plumbing diagrams, operator/service manuals, warranty documents, chassis/engine/transmission/axle approvals, as applicable, pump test certification, tank capacity certification, electrical test certification, and NFPA compliance documentation.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
49	Training	Provide operator familiarization at delivery, covering chassis, pump, water transfer/dump operations, electrical systems, safety systems, and routine maintenance.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	
50	Delivery	Vehicle shall be delivered to or made available for County pickup at the location stated in the bid. Bidder shall state all freight/pickup terms and guaranteed completion date.	☐ COMPLY ☐ EXCEPTION ☐ EQUAL	

APPENDIX B - BID FORM

Legal Name of Bidder	
Business Address	
Contact Person / Title	
Telephone / Email	
SAM.gov UEI	
Apparatus Manufacturer	
Chassis Manufacturer / Model	
Pump Manufacturer / Model	
Water Tank Manufacturer	
Total Firm Fixed Bid Price	$
Guaranteed Delivery	_____ calendar days after contract/NTP
Bid Validity	_____ days (minimum requested: 90)

The undersigned certifies that the bidder has examined the solicitation, all addenda, and the technical requirements; has disclosed all exceptions; can perform the contract at the price and schedule stated; and is eligible to receive a federally funded contract.

Authorized Signature: _____ Date: _____

Printed Name / Title: _____

Addenda acknowledged: _____

APPENDIX C - FEDERAL CERTIFICATIONS AND BIDDER REPRESENTATIONS

Suspension and Debarment

Bidder certifies that it and its principals are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by a federal department or agency, and will notify the County of any change before contract completion.

Response / Disclosure: _____

_____

Byrd Anti-Lobbying Certification

For a contract exceeding $100,000, bidder certifies that no federally appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of an agency, Member of Congress, officer or employee of Congress, or employee of a Member of Congress in connection with this federal award/contract, and will complete Standard Form LLL when disclosure is required.

Response / Disclosure: _____

_____

Conflict of Interest

Bidder has disclosed below any actual or potential organizational conflict of interest or relationship with County personnel that could create an unfair competitive advantage. If none, write NONE.

Response / Disclosure: _____

_____

Covered Telecommunications

Bidder certifies that it will comply with 2 C.F.R. § 200.216 and will not provide prohibited covered telecommunications/video surveillance equipment or services as a substantial or essential component of the apparatus/system.

Response / Disclosure: _____

_____

Domestic Preference

Bidder acknowledges the domestic preference requirement in 2 C.F.R. § 200.322 and will provide information reasonably requested by the County concerning the origin of goods, products, and materials.

Response / Disclosure: _____

_____

Authorized Signature: _____ Date: _____

Printed Name / Title: _____